

In the Claims

Please amend the claims as follows:

1. (Original) A diagnostic conjugate comprising the following components:
 - (a) a transmembrane module (TPU);
 - (b) an address module (AS); and
 - (c) a signalling module (SM).
2. (Original) The diagnostic conjugate of claim 1, wherein the transmembrane module (TPU) is a human transmembrane peptide.
3. (Original) The diagnostic conjugate of claim 2, wherein the transmembrane module (TPU) comprises the amino acid sequence

KMTRQTWWHRIKHKC; MTRQTFWHRIKHKC or KHKIRHWFTQRTMC.
4. (Currently amended) The diagnostic conjugate of claim 1 ~~any one of claims 1 to 3~~, wherein the address module (AS) is an antisense peptide nucleic acid (PNA).
5. (Original) The diagnostic conjugate of claim 4, wherein the antisense peptide nucleic acid (PNA) is capable of hybridizing with an mRNA the expression or mis-expression of which is associated with a disease.
6. (Original) The diagnostic conjugate of claim 5, wherein the disease is a tumor.
7. (Original) The diagnostic conjugate of claim 6, wherein the antisense peptide nucleic acid (PNA) is capable of hybridizing with c-myc-, c-ras-, hsrn-, sst1 or sst2-mRNA.
8. (Original) The diagnostic conjugate of claim 7, wherein the antisense peptide nucleic acid (PNA) comprises the sequence H₂N-ATGCCCCTCAACGTTAGCTT-COOH.

9. (Currently amended) The diagnostic conjugate of claim 1 ~~any one of claims 1 to 8~~, wherein the signalling module (SM) comprises Gd, Fe or F.
10. (Currently amended) The diagnostic conjugate of claim 1 ~~any one of claims 1 to 9~~, wherein the transmembrane module (TPU) is coupled to the address module (AS) via a covalently cleavable spacer I and/or the address module (AS) is coupled to the signalling module (SM) or a compound trapping the signalling module (SM) via a covalently non-cleavable spacer II.
11. (Original) The diagnostic conjugate of claim 10, wherein spacer I comprises a cleavable disulfide bridge.
12. (Original) The diagnostic conjugate of claim 10, wherein spacer I and/or spacer II comprises polylysine or polyglycine.
13. (New) The diagnostic conjugate of claim 12 ~~any one of claims 10 to 12~~, wherein spacer II carries an FITC-label.
14. (Currently amended) The diagnostic conjugate of claim 1 ~~any one of claims 1 to 14~~ having the following structure: transmembrane module (TPU) - spacer I comprising a cleavable disulfide bridge - address module (AS) - spacer II - signalling module (SM) or compound trapping the signalling module (SM).
15. (Currently amended) A diagnostic composition containing a diagnostic conjugate of claim 1 ~~any one of claims 1 to 14~~.
16. (Currently amended) A method of preparing a diagnostic composition for selective detection of tumor cells comprising combining Use of a diagnostic conjugate of claim 1 and a pharmaceutical carrier. ~~any one of claims 1 to 14 for the preparation of a diagnostic composition for the selective detection of tumor cells.~~
17. (New) The diagnostic conjugate of claim 8, wherein the signalling module (SM) comprises Gd, Fe or F.

18. (New) The diagnostic conjugate of claim 9, wherein the transmembrane module (TPU) is coupled to the address module (AS) via a covalently cleavable spacer I and/or the address module (AS) is coupled to the signalling module (SM) or a compound trapping the signalling module (SM) via a covalently non-cleavable spacer
19. (New) A diagnostic composition containing a diagnostic conjugate of claim 14.